

## LETTER TO THE EDITOR

## HEART RATE AND RESPIRATORY CHANGES ACCOMPANYING YOGIC CONDITIONS OF SINGLE THOUGHT AND THOUGHTLESS STATES

Sir,

( Received on March 27, 1992 )

It has been established (1, 2) that certain yogis can alter the patterns of their cardiovascular functions voluntarily. This report presents information obtained in a subject who practised yoga of thoughtless state for many years. The heart rate and respiratory changes associated with states of thought control have been recorded. Informed consent was obtained from the subject for the study.

YS was a 76 year old healthy and active male, at the time of the study. He was well experienced since childhood in practising asanas, pranayamas and thought control. He stated that he achieved considerable control over his mind, and could change from a 'single thought' to 'no thought' state at will. The EKG of standard limb lead II and respirogram via a mercury strain gauge wrapped around the chest, were recorded on a Beckman dynograph, during a test session, when on instruction he changed from a normal condition, to 'single thought', 'thought', and to "no thought" state, and vice versa, 4 times with approximately 5 min gap of relaxation in shavasana in between the 4 times.

There was a significant increase in heart rate during the 'single thought' state compared to the baseline (eyes closed sukhasana), and a further increase during the 'no thought' state (Table I). In contrast, the changes in respiration were different for the 2 states : during 'single thought' state there was an increase in rate and

TABLE I: Heart rate and respiratory changes in altered states of thought.

State	Heart rate per minute	Respiratory rate per minute
Before Shavasana	64.00 (n 1)	19.00 (n 1)
Shavasana	63.10±0.20 (n 4)	17.50±1.50 (n 4)
Single Thought	64.40±0.97* (n 4)	15.30±2.50 (n 6)
No Thought	67.50±1.30** (n 4)	10.00±0.80** (n 4)

\*P < 0.05, \*\*P < 0.01 by comparison to the value during Shavasana (student t - test, two tailed), n = number of values averaged.

regularity of respiration, whereas during the 'no thought' state there was a significant reduction in the rate and regularity (Fig. 1). It is noteworthy that although the respiratory changes are in opposite directions, the heart rate changes are in the same direction (increase).

This is an example showing changes of heart rate and respiration accompanying a yogic subjective activity intended to alter the state of mind alone.




Fig. 1 : Respirogram. Continuous record. Between the first pair of arrows the subject was talking.

SHIRLEY TELLES\* AND T. DESIRAJU

Department of Neurophysiology,  
National Institute of Mental Health and Neuro Sciences,  
Bangalore - 560 029

#### REFERENCES

1. Anand BK, Chinna GS. Investigations on Yogis claiming to stop their heart beats. *Ind J Med Res* 1961; 49: 90-94.
2. Wenger MA, Bagchi BK, Anand BK. Experiments in India on "voluntary" control of the heart and pulse. *Circulation* 1961; XXIV : 1319-1325.